

PREMIUM BRAND FILTERS

HIGH PERFORMING AUTOMATIC TRANSMISSION FILTERS

A Guide to Reliable,
Quality Transmission
Filter Performance

TABLE OF CONTENTS

Application

How To Use This Guide.....	3	Jeep.....	67
Magnetic In-Line Filters.....	4	Land Rover.....	70
Allison.....	5	Mazda.....	72
Audi.....	9	Mercedes.....	75
BMW.....	12	Mitsubishi.....	78
Chrysler.....	14	Nissan.....	80
Ford.....	22	Subaru.....	85
General Motors.....	43	Toyota.....	87
Honda.....	58	VW.....	100
Hyundai.....	62	ZF.....	103
Isuzu.....	64	Miscellaneous.....	108

HOW TO USE THIS GUIDE

Manufacturer

↓

CHRYSLER

Additional Description

→

Transmission

↓

45RFE, 55RFE
RWD, 4 Spd. / 5 Spd.

→



Transmission Pan Gasket

Model	F-322
OE	4800029AA
Bolt Holes	15
Capacity	14.0 Qt. 13.3 Lt.
Fluid	ATF + 4®

Vehicle Application

- Dodge Truck - 2000-Up
- Grand Cherokee - 1999-Up
- Wrangler - 1996-Up

Magnetic In-Line Filters

Know you're getting filters made to OE specifications with our Filtran Series. Filtran LLC is the global aftermarket leader for automatic transmission filters and filter kits. We offer a complete line of automatic transmission filters servicing every vehicle on the road today. Our filters are developed using the same quality standards that we use for our OEM filters and feature our Sealed-Seam Zero Leak® technology. Filtran Magnetic In-Line Filters are easy to replace during routine maintenance to extend the life of your transmissions.

The MIF Filter just may save you from costly combacks.

- Captures up to 90% of wear-in contamination
- Contains a 40 Micron Pleated Cartridge
- Plus, a large capacity magnet to retain ferrous particles
- Includes a 5-PSI By-Pass Valve to ensure continuous flow
- 3 Sizes – 5/16", 3/8" & 1/2" diameter inlet/outlet available
- Great Insurance for Split-Case Transmissions

See pages XX through XX for more information.

**MIF-2 | MAGNETIC INLINE XL30 5/16
- FILTER ONLY**

PRODUCT ID 805820





ALLISON

MT640, MT650 Series**RWD**

Model	F-153A
OE	6834831
Bolt Holes	21
Capacity	19-24 Qt.
Fluid	Dexron® III

LCT 1000/2000/2400**Shallow Pan, Black Plastic**

Model	F-341
OE	29537965
Bolt Holes	12
Capacity	13.0 Qt. 12.3 Lt.
Fluid	Dexron® III


Vehicle Application

- **GM Heavy Duty Trucks w/ "Duramax" Engines - 2001-Up**

REPLACE F-349 SPIN-ON FILTER AT SAME TIME

LCT 1000/2000/2400

Deep Pan, White Plastic



Model	F-342
OE	29537966
Bolt Holes	12
Capacity	14.0 Qt. 13.3 Lt.
Fluid	Dexron® III

Vehicle Application

- **GM Motorhomes, Buses, Med. Duty Freightliner Trucks - 2001-Up**

REPLACE F-349 SPIN-ON FILTER AT SAME TIME

LCT 1000/2000/2400

External Spin-on Filter



Model	F-349
OE	29539579
Bolt Holes	N/A
Capacity	14.0 Qt. 13.3 Lt.
Fluid	Dexron® III

Vehicle Application

- **GM with Duramax, Motor Homes, Buses, Med. Duty Freightliner Trucks, MD3060/3560, B300/400 - 2001-Up**

REPLACE F-349 SPIN-ON FILTER AT SAME TIME

AT 540 SERIES



Model	F-503
OE	6837428
Bolt Holes	21
Capacity	N/A
Fluid	Dexron® III

Vehicle Application

- Allison AT540,543, 545 - 1969-78
-



AUDI

010, 087, & 090

Offset Mounting Hole



Model	F-162
OE	010-325-421A
Bolt Holes	Molded Rubber Pan Gasket
Capacity	6.3 Qt. 6.0 Lt.
Fluid	Esso Type LT71141®

AG4 095, 096 & 097

Early, FWD, 4 SPD



Model	F-242
OE	095-325-429C
Bolt Holes	Molded Rubber Pan Gasket
Capacity	5.9 Qt. 5.6 Lt.
Fluid	Esso Type LT71141®

Vehicle Application

- Audi Models - 1990-95

AG4 095, 096 & 097

Late, FWD, 4 SPD

**Vehicle Application**

- **All Audi Models** - 1996-Up

Model	F-284
OE	095-325-429C/D
Bolt Holes	Molded Rubber Pan Gasket
Capacity	5.6 Qt. 5.3 Lt.
Fluid	Esso Type LT71141®



BMW

4L30E**4 Spd., Black Plastic**

Model	F-254A
OE	24111-218-899
Bolt Holes	16
Capacity	9.3 Qt. 8.8 Lt.
Fluid	Dexron® III

Vehicle Application

- **BMW Models** - 1991-01



CHRYSLER

SHIFT COMMAND

BW - T35, 41, 44 / Flash-O-Matic




Model	F-102
OE	1233394
Bolt Holes	15
Capacity	N/A
Fluid	Dexron® III

Vehicle Application

- **AMC** - 1966-71
- **Dodge Colt** - 1971-74

A727, A904

RWD



Model	F-104
OE	3515996
Bolt Holes	14
Capacity	8.4 Qt. 7.9 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Chrysler** - 1966-99

A404, 413, 470, 670**Shallow Pan**

Model	F-144
OE	4207219
Bolt Holes	14
Capacity	8.4 Qt. 8.0 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Dodge, Plymouth** - 1978-82

A404, 413, 470, 670**Deep Pan**

Model	F-164
OE	4269649
Bolt Holes	14
Capacity	9.0 Qt. 8.5 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Chrysler** - 1983-Up

A604 - 40TE, 41TE

FWD

**Vehicle Application**

- **Chrysler Prod.** - 1987-Up

Model	F-194
OE	4504048 4431722 4504948 4659811
Bolt Holes	14
Capacity	8.6 Qt. 8.1 Lt.
Fluid	ATF + 4®

A340H JEEP, AW4

RWD/4WD, 4 Spd.

**Vehicle Application**

- **Cherokee** - 1987-02
- **Comanche** - 1987-93
- **Grand Cherokee** - 1991-93
- **Wagoneer** - 1987-93

Model	F-222A
OE	83504032
Bolt Holes	19
Capacity	8.2 Qt. 7.8 Lt.
Fluid	Dexron® III

USE OUTLET TUBE F-513

A606, 42LE

FWD, 4 Spd.



Model	F-253
OE	4626449
Bolt Holes	13
Capacity	9.9 Qt. 9.4 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Chrysler, Dodge Models** - 1993-2000
- **Eagle Vision** - 1993-97
- **Plymouth Prowler** - 1997-02

42RE, 44RE, 46RE, 47RE, 48RE

RWD/4WD, 4 Spd.)



Model	F-299
OE	52118789
Bolt Holes	14
Capacity	10.5 Qt. 9.9 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Dodge Durango, Pickups, Vans;**
Jeep Grand Cherokee - 1998-Up

45RFE, 55RFE

4WD, 4 Spd. / 5 Spd.



Model	F-304
OE	4799507
Bolt Holes	15
Capacity	14.0 Qt. 13.3 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Dodge Truck** - 2000-Up
- **Grand Cherokee** - 1999-Up
- **Wrangler** - 1996-Up

REPLACE F-374 SPIN-ON FILTER AT SAME TIME

45RFE, 55RFE

RWD, 4 Spd. / 5 Spd.



Model	F-322
OE	4800029AA
Bolt Holes	15
Capacity	14.0 Qt. 13.3 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Dodge Truck** - 2000-Up
- **Grand Cherokee** - 1999-Up
- **Wrangler** - 1996-Up

REPLACE F-374 SPIN-ON FILTER AT SAME TIME

T/F 6 AND 8

In-Line



Model	F-373
OE	2400125
Bolt Holes	14
Capacity	8.4 Qt. 7.9 Lt.
Fluid	ATF + 4®

USE MIF-2/2P TO REPLACE

45RFE, 55RFE

2WD/4WD, Internal Cooler Oil, Spin-On Filter




Model	F-374
OE	4799662
Bolt Holes	15
Capacity	14.0 Qt. 13.3 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Dodge Truck** - 2000-Up
- **Grand Cherokee** - 1999-Up
- **Wrangler** - 1996-Up
- **Liberty** - 2002-Mid 03

USE WITH F-304 (4X4) OR F-322 (2WD) SUMP FILTER

42RLE

Model	F-394
OE	528529-13AB
Bolt Holes	13
Capacity	11.0 Qt. 10.4 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Jeep Wrangler** - 2003-Up
- **Jeep Liberty** - 2003 1/2-Up

62TE

A604X, A6F440



Model	F-400
OE	05078555-AA
Bolt Holes	N/A
Capacity	N/A
Fluid	ATF + 4®

Vehicle Application

- **Pacifica, Sebring, Avenger, Town & Country, Caravan** - 2007-Up
- **VW VT-Van** - 2008



FORD

FMX, MX

RWD, Iron Case, Felt Filter



Model	F-110
OE	D8AZ-7A098-A
Bolt Holes	14
Capacity	11.0 Qt. 10.5 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford LTD, Mercury Marquis -**
1986-81

C6

RWD, Aluminum Case, Shallow Pan



Model	F-115
OE	D5AZ-7A098-AA
Bolt Holes	17
Capacity	12.0 Qt. 11.3 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford, Mercury -** 1975-80
- **Ford Trucks, Vans -** 1975-98
- **Lincoln -** 1975-79

C4 THICK



Model	F-116
OE	C5AZ-7A098C
Bolt Holes	11
Capacity	13.5 Qt. 12.8 Lt.
Fluid	Type F®

Vehicle Application

- **Passenger Cars** - 2000-Up
- **Grand Cherokee** - 1999-Up
- **Wrangler** - 1996-Up
- **Liberty** - 2002-Mid 03

C4

RWD, 3 Pd., Aluminum Case



Model	F-117A
OE	D0DZ-7A098-B
Bolt Holes	11
Capacity	10.0 Qt. 9.8 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford, Mercury** - 1969-81

FMX

RWD, Iron Case, Brass Screen



Model	F-119A
OE	D0AZ-7A098-A
Bolt Holes	14
Capacity	11.0 Qt. 10.4 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford** - 1968-76
- **Mercury** - 1969-77

C4

RWD, Deep Pan, Aluminum Case




Model	F-121A
OE	D4FZ-7A098-A
Bolt Holes	11
Capacity	10.3 Qt. 9.8 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford, Mercury** - 1974-81
- **Lincoln** - 1978-80

C6 EARLY

RWD, Aluminum Case



Model	F-122
OE	C6AZ-7A098-A
Bolt Holes	17
Capacity	11.8 Qt. 11.2 Lt.
Fluid	Type F®

Vehicle Application

- **Ford, Lincoln, Mercury Cars, Trucks, Vans - 1966-74**

C6

4x4, RWD, Deep Pan



Model	F-124
OE	D3TZ-7A098-A
Bolt Holes	17
Capacity	12.0 Qt. 11.4 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford Trucks - 1973-98**

C4 THIN

RWD, Aluminum Case

**Vehicle Application**

- **Falcon, Maverick & Mustang** - 1965-70

Model	F-125
OE	C4AZ-7A098-B
Bolt Holes	11
Capacity	6 Cyl. - 7.4 Qt. 7.0 Lt. 8 Cyl. - 9.5 Qt. 9.0 Lt.
Fluid	Type F®

C3

RWD

**Vehicle Application**

- **Ford** - 1974-86
- **Mercury** - 1973-86
- **Merkur** - 1985-89

Model	F-134
OE	D4ZZ-7A098-A
Bolt Holes	13
Capacity	8.1 Qt. 7.6 Lt.
Fluid	Mercon®

A0D, F10D

RWD, 4 Spd.



Model	F-151
OE	E1AZ-7A098-A
Bolt Holes	14
Capacity	12.3 Qt. 11.7 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford** - 1980-96
- **Lincoln** - 1980-92
- **Mercury** - 1980-94

ATX

FWD, 3 Spd.



Model	F-154
OE	D4ZZ-7A098-A
Bolt Holes	13
Capacity	8.1 Qt. 7.6 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford** - 1974-86
- **Mercury** - 1973-86
- **Merkur** - 1985-89

A0D, F10D

4x4, RWD, 4 Spd.



Model	F-168
OE	E5TZ-7A098-C
Bolt Holes	14
Capacity	12.3 Qt. 11.6 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford Trucks, Vans** - 1983-95

A4LD

RWD, 4 Spd., Shallow Pan



Model	F-192A
OE	E6TZ-7A098-B
Bolt Holes	18
Capacity	9.7 Qt. 9.2 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford Mustang, Thunderbird** - 1987-88
- **Ford Trucks, Vans** - 1986-88
- **Mercur** - 1988-89

A4LD

4x4, RWD, 4 Spd., Deep Pan



Model	F-193
OE	E6TZ-7A098A
Bolt Holes	18
Capacity	10.0 Qt. 9.5 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford 4x4 Trucks** - 1985-95

F3A

FWD, 3 Spd.



Model	F-225
OE	E7GZ-7A098-A
Bolt Holes	16
Capacity	6.0 Qt. 5.7 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford** - 1990
- **Lincoln** - 1980-92
- **Mercury** - 1980-94

A0DE, A0DE-W, 4R70W

RWD, Shallow Pan



Model	F-230A
OE	F2VY-7A098-A
Bolt Holes	14
Capacity	13.6 Qt. 12.9 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford** - 1992-99
- **Lincoln** - 1991-95
- **Mercury** - 1992-96

G4EAT

FWD, 4 Spd., 2-3/4" Thick



Model	F-234
OE	F32Z-7A098-A
Bolt Holes	17
Capacity	7.2 Qt. 6.8 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford Probe** - 1993-97

BTR M85**Vehicle Application**

- **Australian**

Model	F-250
OE	TGM-10011
Bolt Holes	9 (Molded Rubber Gasket)
Capacity	N/A
Fluid	Type 95LE®

4R70W / 4R75W

RWD/4WD, Deep Pan

**Vehicle Application**

- **Ford** - 1994-Up
- **Lincoln** - 1996-Up
- **Mercury** - 1997-Up

Model	F-256B
OE	F4TZ-7A098-A
Bolt Holes	14
Capacity	13.9 Qt. 13.2 Lt.
Fluid	Mercon®V

AXOD, AX4S

FWD, 4 Spd., Short Orange Seal




Model	F-257A
OE	E6DZ-7A098-A
Bolt Holes	17
Capacity	12.8 Qt. 12.2 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford** - 1986-96
- **Lincoln Continental** - 1988-94
- **Mercury** - 1986-95

AX4S-SHO, AX4N

FWD, 4 Spd., Deep Pan, Tall Orange Seal



Model	F-272A
OE	F5DZ-7A098-A
Bolt Holes	17 (AX4S) 19 (AX4N)
Capacity	13.7 Qt. 13.0 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford Taurus** - 1993-99
- **Lincoln Continental** - 1995-2001
- **Mercury Sable** - 1986-99

AX4N

FWD, 4 Spd., Green Seal



Model	F-278
OE	F6DZ-7A098-A
Bolt Holes	19
Capacity	13.4 Qt. 12.6 Lt.
Fluid	Mercon®

Vehicle Application

- **Taurus, Sable** - 1994-Up
- **Continental** - 1995-2000
- **Windstar** - 2001-03
- **Freestar, Monterey** - 2004-Up

F3A

FWD, 3 Spd.



Model	F-293
OE	F4BZ-7A098-A
Bolt Holes	16
Capacity	6.0 Qt. 5.7 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford Aspire** - 1994-97

A4LD/E, 4R44E, 5R55E

RWD, 4 Spd. Shallow Pan



Model	F-319
OE	E9TZ-7A098-C
Bolt Holes	18
Capacity	9.7 Qt. 9.2 Lt.
Fluid	Mercon®V

Vehicle Application

- **Ford Cars, Trucks, Vans** - 1989-01
- **Mercury Mountaineer** - 1989-01

A4LD/E, 4R44E, 5R55E

4x4, RWD, 4 Spd., Deep Pan



Model	F-320
OE	E6TZ-7A098-A
Bolt Holes	18
Capacity	10.0 Qt. 9.5 Lt.
Fluid	Mercon®V

Vehicle Application

- **Ford Trucks, Vans** - 1985-01
- **Mercury Mountaineer** - 1985-01

F4AEL

FWD, 4 Spd.



Model	F-321
OE	FU61-21-500B
Bolt Holes	19
Capacity	5.7 Qt. 5.4 Lt.
Fluid	Dexron® III

Vehicle Application

- **Mazda 323, MX3, Protégé** - 1990-98
- **Ford Escort, Mercury Tracer** - 1991-99

E4OD / 4R100

Shallow Pan, 1/2" Inlet Tube



Model	F-335
OE	E9TZ-7A098A
Bolt Holes	20
Capacity	15.5 Qt. 14.7 Lt.
Fluid	Mercon®

Vehicle Application

- **Ford Super Duty Trucks** - 1989-02

E4OD / 4R100

Deep Pan, 2" Inlet Tube



Model	F-336
OE	E9TZ-7A098B
Bolt Holes	20
Capacity	17.1 Qt. 16.2 Lt.
Fluid	Mercon®V

Vehicle Application

- **Ford Super Duty Trucks -**
1989-02

5R55W

2" Inlet Tube



Model	F-340
OE	1L2Z-7A098AC
Bolt Holes	16
Capacity	10.0 Qt. 9.5 Lt.
Fluid	Mercon®V

Vehicle Application

- **Ford Explorer, Lincoln Aviator -**
2001-Up

5R55S**1" Inlet Tube**

Model	F-343
OE	3W4Z-7A098AB
Bolt Holes	16
Capacity	12.0 Qt. 11.3 Lt.
Fluid	Mercon®V

Vehicle Application

- **Thunderbird** - 2003-Up
- **Lincoln LS** - 2003-Up

CD4E

Model	F-353
OE	F3RZ-7A098-A
Bolt Holes	Non-Serviceable
Capacity	4 Cyl. - 9.0 Qt. 8.5 Lt. 6 Cyl. - 10.3 Qt. 9.7 Lt.
Fluid	Mercon®

Vehicle Application

- **Contour, Mystique** - 1995-2004
- **Escape** - 2001-Up
- **Probe** - 1994-97
- **Cougar** - 1999-02

5R110W

Torqshift®



Model	F-391A
OE	3C3Z-7A098-AA
Bolt Holes	20
Capacity	15.5 Qt. 14.7 Lt.
Fluid	Mercon®SP

Vehicle Application

- **Ford SD Trucks w/Powerstroke™ Diesel - 2003-07**

REPLACE F-474 CARTRIDGE AT SAME TIME

6F55

FWD, 6 Spd.




Model	F-399
OE	7T4Z-7A098B
Bolt Holes	Non-Serviceable
Capacity	N/A
Fluid	XT-8-QAW(T-IV)®

Vehicle Application

- **Ford Edge, 500, Linc. Aviator, Merc. MAV, Montego - 2007-Up**

6R80

RWD/4WD, 6 Spd., Deep Pan, 1" Inlet Tube



Model	F-473
OE	7LIZ-7A098A
Bolt Holes	21
Capacity	N/A
Fluid	Mercon®SP

Vehicle Application

- **Ford Explorer, Sport Trac, Expedition, F-Series, Lincoln Navigator** - 2007-Up

5R110W

Torqshift®, External Cartridge



Model	F-474
OE	3C3Z-7B155BA
Bolt Holes	N/A
Capacity	15.5 Qt. 14.7 Lt.
Fluid	Mercon®SP

Vehicle Application

- **Ford SD Trucks w/Powerstroke™**
- 2003-Up

CHECK SUMP FILTER F-391A AT REGULAR INTERVALS

CFT30, CVT

FWD, External Cartridge



Model	F-478
OE	5F9Z-7Z155-AA
Bolt Holes	N/A
Capacity	N/A
Fluid	XT-7-QCFT

Vehicle Application

- **Ford 500 & Freestyle** - 2005-Up


CHECK CARTRIDGE AT REGULAR INTERVALS

6R140

Model	F-518
OE	BC3P-7G186-BE
Bolt Holes	N/A
Capacity	N/A
Fluid	Mercon®V

Vehicle Application

- **Ford F-250 SD and F-350 SD** - 2011-Up

NEW 5R110W

Model	F-526
OE	8C3Z-7A098-D
Bolt Holes	20
Capacity	18.8 Qt. 17.7 Lt.
Fluid	Mercon®V

Vehicle Application

- **Super Duty Trucks W/ Powerstroke Diesel** - 2008-10

6R80

Shallow Pan, 1/4" Inlet Tube



Model	F-539
OE	L3P-7G186-AA
Bolt Holes	21
Capacity	10.0 Qt. 9.5 Lt.
Fluid	Mercon®SP

Vehicle Application

- **Mustang, Transit** - 2010-Up



GM

TH250/250C/350/350C

Brass Media



Model	F-105
OE	6261412
Bolt Holes	13
Capacity	10.0 Qt. 9.5 Lt.
Fluid	Dexron®

Vehicle Application

- **Chevrolet** - 1967-86
- **GMC Trucks** - 1969-86
- **Jeep** - 1965-67

TH375, TH400/LATE

RWD/4WD, 3 Spd.



Model	F-106A
OE	6438348
Bolt Holes	13
Capacity	10.5 Qt. 9.9 Lt.
Fluid	Dexron® III

Vehicle Application

- **Buick, Olds, Pontiac** - 1967-80
- **Cadillac** - 1967-84
- **Chevrolet, GMC** - 1967-89
- **Hummer** - 1992-93
- **Jeep** - 1967-79

TH400 / EARLY

RWD, 3 Spd.



Model	F-129A
OE	5579822
Bolt Holes	13
Capacity	10.5 Qt. 9.9 Lt.
Fluid	Dexron® III

Vehicle Application

- **GM** - 1964-67

TH425

FWD, 3 Spd.




Model	F-131A
OE	6435766
Bolt Holes	13
Capacity	N/A
Fluid	Dexron® III

Vehicle Application

- **Cadillac Eldorado** - 1967-78
- **Oldsmobile Toronado** - 1966-78

TH200

RWD, 3 Spd., 1st Design, Shallow Pan,
Brass Media




Model	F-133
OE	8628935
Bolt Holes	11
Capacity	4.9 Qt. 4.6 Lt.
Fluid	Dexron® III

Vehicle Application

- **Buick, Oldsmobile** - 1976-78
- **Chevrolet** - 1975-80
- **GMC Trucks** - 1978
- **Pontiac** - 1976-81

THM180, 180C

Trimatic



Model	F-135
OE	26950- 61-A00
Bolt Holes	12
Capacity	4.9 Qt. 4.6 Lt.
Fluid	Dexron® III

Vehicle Application

- **Tracker** - 1989-02
- **Sunrunner** - 1994-02

TH250, 250C, 350, 350C


RWD/4WD, 3 Spd., Chevrolet Built



Model	F-146
OE	8640848
Bolt Holes	13
Capacity	10.0 Qt. 9.5 Lt.
Fluid	Dexron® III

Vehicle Application

- **Chevrolet** - 1967-86
- **GMC Trucks** - 1965-86
- **Jeep** - 1965-67

TH200CRWD, 3 Spd., 2nd Design,
Deep Pan, Poly Screen Media

Model	F-150
OE	8630789
Bolt Holes	11
Capacity	5.0 Qt. 4.7 Lt.
Fluid	Dexron® III

Vehicle Application

- **Buick** - 1979-87
- **Cadillac** - 1981
- **Chevy, GMC, Pontiac** - 1980-87
- **Oldsmobile** - 1979-86

TH325-4L

FWD, 4 Spd., with Overdrive



Model	F-166
OE	8635710
Bolt Holes	15
Capacity	1980-81 12.0 Qt. 11.4 Lt. 1982-85 10.0 Qt. 9.5 Lt.
Fluid	Dexron® III

Vehicle Application

- **Buick Riviera, Cadillac Eldorado, Seville, Oldsmobile Toronado** - 1982-85

4T60 (TH440-T4)

FWD, 4 Spd.



Model	F-191B
OE	8682471
Bolt Holes	19
Capacity	8.0 Qt. 7.6 Lt.
Fluid	Dexron® III

Vehicle Application

- **Buick, Oldsmobile** - 1984-94
- **Cadillac** - 1985-94
- **Chevrolet** - 1984-93
- **Pontiac** - 1985-93

4L60 (TH700-R4)

RWD/4WD, 4 Spd., with Overdrive

**Vehicle Application**

- **Buick** - 1986-93
- **Cadillac** - 1990-93
- **Chevrolet** - 1982-95
- **GMC Trucks** - 1982-93
- **Oldsmobile** - 1989-93
- **Pontiac** - 1983-93

Model	F-196
OE	8667689
Bolt Holes	16
Capacity	11.0 Qt. 10.3 Lt.
Fluid	Dexron® III

A210, MX17**Vehicle Application**

- **Sprint** - 1988-91
- **Firefly** - 1988-00
- **Metro** - 1985-02

Model	F-198
OE	26570-82300, 96053975
Bolt Holes	15
Capacity	5.2 Qt. 4.9 Lt.
Fluid	Dexron® III

4L80E EARLY

RWD/4WD, 4 Spd., Shallow Pan



Model	F-216B
OE	8684221
Bolt Holes	17 (Reuse OE Gasket)
Capacity	13.5 Qt. 12.8 Lt.
Fluid	Dexron® III

Vehicle Application

- **Chevrolet, GMC Trucks, Vans** - 1991-96
- **Hummer** - 1994-96

4T60E / 4T65E

FWD, 4 Spd.



Model	F-217C
OE	24206433
Bolt Holes	20
Capacity	13.4 Qt. 12.7 Lt.
Fluid	Dexron® III

Vehicle Application

- **Buick** - 1991-Up
- **Cadillac** - 1991-95
- **Chevrolet, Oldsmobile** - 1991-03
- **Pontiac** - 1992-Up

THM 125 (3T40)

FWD, 3 Spd.




Model	F-229
OE	25010991
Bolt Holes	16
Capacity	6.9 Qt. 6.5 Lt.
Fluid	Dexron® III

Vehicle Application

- **Pass. Cars** - 1980-Up
- **Isuzu** - 1987-90
- **Holden** - 1986-90

4T80E

Left Scavenger



Model	F-233LS
OE	24207361
Bolt Holes	16
Capacity	15.0 Qt. 14.2 Lt.
Fluid	Dexron® III

Vehicle Application


- **Cadillac w/Northstar Engine** - 1993-Up
- **Olds Aurora w/Northstar Engine** - 1995-03

4T80E**Right Scavenger**

Model	F-233RS
OE	8679416
Bolt Holes	16
Capacity	15.0 Qt. 14.2 Lt.
Fluid	Dexron® III

Vehicle Application

- **Cadillac w/Northstar Engine** - 1993-Up
- **Olds Aurora w/Northstar Engine** - 1995-03

4L60E SHALLOW PAN**RWD/4WD, 4 Spd.**

Model	F-243A
OE	24200796
Bolt Holes	16
Capacity	11.2 Qt. 10.5 Lt.
Fluid	Dexron® III

Vehicle Application

- **Buick** - 1993-96
- **Cadillac** - 1994-Up
- **Chevrolet, GMC Trucks, Oldsmobile** - 1993-Up
- **Pontiac** - 1993-03

4L60E / 4L65E

RWD/4WD, 4 Spd., Deep Pan




Model	F-300
OE	24208576
Bolt Holes	16
Capacity	11.0 Qt. 10.4 Lt.
Fluid	Dexron® III

Vehicle Application

- **Buick Rainier** - 2004
- **Cadillac Escalade** - 1999-Up
- **Chevrolet, GMC Trucks, Vans** - 1998-Up
- **Hummer H2** - 2003-Up
- **Oldsmobile Bravada** - 2002-Up

4L80E / 4L85E LATE

RWD/4WD, 4 Spd., Deep Pan



Model	F-301
OE	24204277
Bolt Holes	17 (Reuse OE Gasket)
Capacity	13.0 Qt. 12.3 Lt.
Fluid	Dexron® III

Vehicle Application

- **Cadillac Escalade** - 2002
- **Chevrolet, GMC Trucks, Vans** - 1997-Up

4T40E / 4T45E

FWD, 4 Spd.



Model	F-302
OE	24203770
Bolt Holes	12
Capacity	12.0 Qt. 11.5 Lt.
Fluid	Dexron® III

Vehicle Application

- **GM** - 1994-Up
- **Saturn** - 2002-Up

TAAT MP6, MP7

FWD, 4 Spd., External Spin-On



Model	F-323
OE	21002303
Bolt Holes	N/A
Capacity	7.4 Qt. 7.0 Lt.
Fluid	Dexron® III

Vehicle Application

- **Saturn S-Series** - 1991-01

LCT 1000/2000/2400

Shallow Pan, Black Plastic



Model	F-341
OE	29537965
Bolt Holes	12
Capacity	13.0 Qt. 12.3 Lt.
Fluid	Dexron® III


Vehicle Application

- **GM Heavy Duty Trucks**
w/"Duramax" Engines - 2001-Up

REPLACE F-349 SPIN-ON AT SAME TIME

LCT 1000/2000/2400

Deep Pan, White Plastic



Model	F-342
OE	29537966
Bolt Holes	12
Capacity	14.0 Qt. 13.3 Lt.
Fluid	Dexron® III

Vehicle Application

- **GM Motorhomes, Buses, Med.**
Duty Freightliner Trucks - 2001-Up

REPLACE F-349 SPIN-ON AT SAME TIME

LCT 1000/2000/2400

External Spin-On Filter



Model	F-349
OE	29539579
Bolt Holes	N/G
Capacity	14.0 Qt. 13.3 Lt.
Fluid	Dexron® III

Vehicle Application

- **GM w/ Duramax, Motor Homes, Buses, Med. Duty Freightliner Trucks, MD3060/3560, B300/400 - 2001-Up**

CHECK SUMP FILTER FOR POSSIBLE REPLACEMENT

6T70 / 6T75

FWD, 6 Spd.



Model	F-399
OE	24238773
Bolt Holes	Non-Serviceable
Capacity	N/A
Fluid	Dexron® III

Vehicle Application

- **Saturn Aura, GMC Acadia, Sat. Outlook, Buick Rendezvous, Pontiac G6, Saab 9-7X - 2007-Up**

4L60E

RWD/4WD, 4 Spd., Stepped Version



Model	F-475
OE	24226101
Bolt Holes	16
Capacity	11.2 Qt. 10.5 Lt.
Fluid	Dexron® III

Vehicle Application

- **Chevrolet Colorado, GMC Canyon**
- 2004-Up
- **Hummer H3, Isuzu I-350**- 2006-Up
- **Isuzu I-370** - 2007-Up

6L80 / 90

2-1/2" Wide Inlet Tube



Model	F-483
OE	24236519
Bolt Holes	18
Capacity	12.4 Qt. 11.7 Lt.
Fluid	Dexron® III

Vehicle Application

- **STS-V, XLR** - 2006-08
- **Escalade** - 2007-09



HONDA/
ACURA

MPYA

FWD, 4 Spd.

**Vehicle Application**

- **Acura** - 1991-Up

Model	F-303
OE	25420-PY4-000
Bolt Holes	14
Capacity	9.2 Qt. 8.7 Lt.
Fluid	Genuine Honda ATF®

MPWA, M1WA**Vehicle Application**

- **Honda, Acura** - 1992-02

Model	F-306
OE	25420-PW4-010
Bolt Holes	16
Capacity	7.6 Qt. 7.2 Lt.
Fluid	Genuine Honda ATF®

CVT**Cartridge Filter**

Model	F-337
OE	25450-P4V-003
Bolt Holes	14
Capacity	N/A
Fluid	Genuine Honda CVT®

Vehicle Application

- **Civic HX CVT** - 1996-03

CHECK SUMP FILTER F-448 FOR REPLACEMENT

V7XA, M7ZA**FWD, 4 Spd.**

Model	F-355
OE	25420-P7X-003
Bolt Holes	Non-Serviceable
Capacity	7.6 Qt. 7.1 Lt.
Fluid	Genuine Honda ATF®

Vehicle Application

- **Acura** - 1996-99
- **Honda** - 1998-03

M6HA

FWD, 4 Spd.

**Vehicle Application**

- Acura CL - 1998-01
- Honda - 1992-Up

Model	F-390
OE	25420-P6H-000
Bolt Holes	Non-Serviceable
Capacity	6.3 Qt. 6.0 Lt.
Fluid	Genuine Honda ATF®

MPJA, MDWA

FWD, 4 Spd.

**Vehicle Application**

- Acura 3.2TL/CL - 2001-Up
- Honda Odyssey - 2002-Up

Model	F-405
OE	25420-P7W-003
Bolt Holes	Non-Serviceable
Capacity	7.5 Qt. 7.1 Lt.
Fluid	Genuine Honda ATF®



HYUNDAI

A4B-F1, A4B-F2

FWD, 4 Spd.



Model	F-232A
OE	46321-22050
Bolt Holes	13
Capacity	6.5 Qt. 6.1 Lt.
Fluid	ATF + 4®

Vehicle Application

- Hyundai - 1993-99

A4B-F3

FWD, 4 Spd.



Model	F-387
OE	46321-22731
Bolt Holes	13
Capacity	6.5 Qt. 6.1 Lt.
Fluid	Hyundai SP-III

Vehicle Application

- Hyundai - 2000-Up



ISUZU

4L30E

4 Spd., Green Plastic



Model	F-241
OE	8-96015-062-0
Bolt Holes	16
Capacity	9.1 Qt. 8.6 Lt.
Fluid	Dexron® III

Vehicle Application

- **Isuzu** - 1990-Up

F3A

FWD, 3 Spd.



Model	F-259
OE	94428489
Bolt Holes	16
Capacity	6.3 Qt. 6.0 Lt.
Fluid	Dexron® III

Vehicle Application

- **Isuzu** - 1985-93

RNJ, AW450-43LE

RWD/4WD, 4 Spd.



Model	F-380
OE	8-97202-067-0
Bolt Holes	20
Capacity	N/A
Fluid	Dexron® III

Vehicle Application

- Isuzu Truck 4.8L Diesel - 1998



JEEP

A340H JEEP, AW4

RWD/FWD, 4 Spd.



Model	F-222A
OE	83504032
Bolt Holes	19
Capacity	8.2 Qt. 7.8 Lt.
Fluid	Dexron® III

Vehicle Application

- **Cherokee** - 1987-02
- **Comanche** - 1987-93
- **Grand Cherokee** - 1991-93
- **Wagoneer** - 1987-93

45RFE, 55RFE

4WD, 4 Spd. / 5 Spd.



Model	F-304
OE	4799507
Bolt Holes	15
Capacity	14.0 Qt. 13.3 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Dodge Truck** - 2000-Up
- **Grand Cherokee** - 1999-Up
- **Wrangler** - 1996-Up

REPLACE F-374 SPIN-ON FILTER AT SAME TIME

45RFE, 55RFE

RWD, 4 Spd. / 5 Spd.



Model	F-322
OE	4800029AA
Bolt Holes	15
Capacity	14.0 Qt. 13.3 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Dodge Truck** - 2000-Up
- **Grand Cherokee** - 1999-Up
- **Wagoneer** - 1996-Up

REPLACE F-374 SPIN-ON FILTER AT SAME TIME

45RFE, 55RFE

2 WD, 4 WD, Internal Cooler Oil Spin-On Filter



Model	F-374
OE	4799662
Bolt Holes	15
Capacity	14.0 Qt. 13.3 Lt.
Fluid	ATF + 4®

Vehicle Application

- **Dodge Truck** - 2000-Up
- **Grand Cherokee** - 1999-Up
- **Wrangler** - 1996-Up
- **Liberty** - 2002-Mid 03

USE WITH F-304 (4X4) OR F-322 (2WD) SUMP FILTER



LAND ROVER

ZF4HP-22

With Suction Tube



Model	F-359
OE	1043-226-037
Bolt Holes	Molded Rubber Gasket
Capacity	7.5 Qt. 7.1 Lt.
Fluid	Dexron® III

Vehicle Application

- Range / Land Rover - 1998-Up



MAZDA

F4AEL

FWD, 4 Spd.



Model	F-321
OE	FU61-21-500B
Bolt Holes	19
Capacity	5.7 Qt. 5.4 Lt.
Fluid	Dexron® III

Vehicle Application

- **Mazda 323, MX3, Protégé** - 1990-98
- **Ford Escort, Mercury Tracer** - 1991-99

R4AEL (RE4R01A)

Model	F-358
OE	31728-41X03
Bolt Holes	18
Capacity	9.0 Qt. 8.5 Lt.
Fluid	Dexron® III

Vehicle Application

- **Mazda w/6 Cyl. and 4WD** - 1987-Up

F4AEL

AWD, 4 Spd., Deep Pan



Model	F-383
OE	FW01-21-500
Bolt Holes	19
Capacity	8.5 Qt. 8.0 Lt.
Fluid	Dexron® III

Vehicle Application

- **Mazda Models w/AWD - 1993-Up**



MERCEDES

722.3 & 722.4**Vehicle Application**

- **190D, 190E** - 1981-1-Up

Model	F-214
OE	126-277-02-95
Bolt Holes	Molded Rubber Pan Gasket
Capacity	7.5 Qt. 7.1 Lt.
Fluid	Dexron® III

GASKET FOR 722.4 NOT SHOWN

722.6

RWD/4WD/AWD, 5 Spd.

**Vehicle Application**

- **Daimler Chrysler** - 1996-Up

Model	F-281A
OE	1402770095
Bolt Holes	Molded Rubber Pan Gasket
Capacity	7.9 Qt. 7.5 Lt.
Fluid	Shell ATF 3403-M115®

722.9

NAG II

**Vehicle Application**

- All 7 Speed Automatics

Model	F-542
OE	220-277-03-05
Bolt Holes	Molded Rubber Pan Gasket
Capacity	N/A
Fluid	Fuchs ATF 3353

722.9+ LOW FRICTION

NAG II+

NO PHOTO AVAILABLE

Vehicle Application

- All 7 Speed Automatics - 2010+ with blue fluid

Model	F-599
OE	222-270-20-00
Bolt Holes	Molded Rubber Pan Gasket
Capacity	10 Qt. 6.9 Lt.
Fluid	Mercedes 236.15



MITSUBISHI

JATCO 4N71B, N4AHL

RWD, 4 Spd.




Vehicle Application

- Mitsubishi - 1983-89

Model	F-187
OE	MD610736
Bolt Holes	14
Capacity	7.4 Qt. 7.0 Lt.
Fluid	Mitsubishi Diamond Plus®

KM171, 175, 176

FWD, 4 Spd.



Vehicle Application

- Mitsubishi - 1987-99

Model	F-249
OE	MD737840
Bolt Holes	12 & 13
Capacity	6.3 Qt. 6.0 Lt.
Fluid	Mitsubishi Diamond Plus®



NISSAN/
INFINITI

RL3F01A, RN3F01A

FWD, 3 Spd., Shallow Pan



Model	F-175
OE	31728-01X09
Bolt Holes	14
Capacity	6.5 Qt. 6.1 Lt.
Fluid	Dexron® III

Vehicle Application

- **Nissan** - 1982-92

SHORT INLET TUBE

RL3F01A, RN3F01A

FWD, 3 Spd., Deep Pan



Model	F-215
OE	31728-01X10
Bolt Holes	14
Capacity	6.3-6.6 Qt.
Fluid	Dexron® III

Vehicle Application

- **Nissan** - 1973-93

LONG INLET TUBE

RE4R03A

RWD, 4 Spd.



Model	F-247
OE	31728-51X02
Bolt Holes	18
Capacity	7.3 Qt. 7.0 Lt.
Fluid	Nissan Matic D®

Vehicle Application

- **Infiniti** - 1990-98
- **Nissan w/Turbo** - 1990-96

RL4F03A

RWD, 4 Spd.



Model	F-264
OE	31728-31X01
Bolt Holes	21
Capacity	7.3 Qt. 6.9 Lt.
Fluid	Nissan Matic D®

Vehicle Application

- **Infiniti** - 1991-02
- **Nissan** - 1991-Up

RE4R01A

RWD, 4 Spd., Deep Pan



Model	F-318A
OE	31728-41X01
Bolt Holes	18
Capacity	8.9 Qt. 8.4 Lt.
Fluid	Nissan Matic D®

Vehicle Application

- **Infiniti** - 1997-99
- **Nissan** - 1989-99

RE4F04A

FWD, 4 Spd.



Model	F-332
OE	31728-80X04
Bolt Holes	21
Capacity	10.0 Qt. 9.5 Lt.
Fluid	Nissan Matic D®

Vehicle Application

- **Quest** - 1993-04

RE0F10A

JF011E CVT

NO PHOTO AVAILABLE

Model	F-564
OE	31726-1XZ0A
Bolt Holes	N/A
Capacity	7.7 Qt. 7.3 Lt.
Fluid	Nissan CVT NS-2

Vehicle Application

- **Altima** - 2007-09
- **Juke** - 2011-17
- **Rogue** - 2008-10
- **Sentra** - 2007-09

RE0F11A

JF015E CVT

NO PHOTO AVAILABLE

Model	F-625
OE	31726-3JX0A
Bolt Holes	N/A
Capacity	7.3 Qt. 6.9 Lt.
Fluid	Nissan CVT NS-2

Vehicle Application

- **Juke** - 2014-17
- **Rogue** - 2014-19
- **Sentra** - 2013-19
- **Versa** - 2012-19



SUBARU

R4AXEL

AWD, 4 Spd., Shallow Pan



Model	F-248
OE	31728-AA000
Bolt Holes	20
Capacity	10.0 Qt. 9.5 Lt.
Fluid	Dexron® III

Vehicle Application

- **Subaru** - 1985-94

R4AXEL

AWD, 4 Spd., Deep Pan



Model	F-270
OE	31728-AA011
Bolt Holes	20
Capacity	10.0 Qt. 9.5 Lt.
Fluid	Dexron® III

Vehicle Application

- **Subaru** - 1990-99

4EAT

AWD, 4 Spd.



Model	F-364
OE	31728-AA050
Bolt Holes	20
Capacity	10.0 Qt. 9.5 Lt.
Fluid	Dexron® III

Vehicle Application

- Forester & Legacy - 1988-Up

REPLACE F-379 SPIN-ON FILTER AT SAME TIME



TOYOTA/
LEXUS

AW55, BW55, A40, 41, 43

RWD, 3 Spd.



Model	F-141
OE	35303-22020/21/22
Bolt Holes	14
Capacity	6.9 Qt. 6.5 Lt.
Fluid	Dexron® III

Vehicle Application

- **Tercel** - 1972-86

A40D

RWD, 4 Spd.



Model	F-172
OE	35303-30031
Bolt Holes	14
Capacity	6.9 Qt. 6.5 Lt.
Fluid	Type F ATF®

Vehicle Application

- **Toyota** - 1978-85

A42D / 43D / 44D, AW70 / 71

RWD, 4 Spd.



Model	F-178
OE	35303-30050
Bolt Holes	14
Capacity	6.9 Qt. 6.5 Lt.
Fluid	Dexron® III

Vehicle Application

- **Toyota** - 1980-01

A42 / 43 / 44 / 45DL, A45DF


RWD, 4 Spd.



Model	F-179
OE	35303-14010
Bolt Holes	14
Capacity	6.9 Qt. 6.5 Lt.
Fluid	Dexron® III

Vehicle Application


- **Toyota** - 1984-89

**A43DE / 44DE /
46DE /A46DF**

Model	F-189
OE	35303-30060
Bolt Holes	14
Capacity	6.9 Qt. 6.5 Lt.
Fluid	Type F ATF®

Vehicle Application

- **Toyota** - 1982-86
- **Toyota** - 1991-97

A540E, H
FWD/AWD, 4 Spd.


Model	F-205
OE	35303-32030
Bolt Holes	17
Capacity	6.2 Qt. 5.9 Lt.
Fluid	Toyota Type T-IV®

Vehicle Application

- **Lexus** - 1990-93
- **Toyota** - 1988-01

A440F

RWD/4WD, 4 Spd., Deep Pan




Model	F-208
OE	35303-60010
Bolt Holes	20
Capacity	16.0 Qt. 15.0 Lt.
Fluid	Dexron® III

Vehicle Application

- Landcruiser & Samurai -
1985-96

A340H

RWD/4WD, 4 Spd., Exc. Jeep




Model	F-209
OE	35330-35010
Bolt Holes	19
Capacity	10.9 Qt. 10.3 Lt.
Fluid	Dexron® III

Vehicle Application

- Toyota - 1985-96

A340E

RWD, 4 Spd.



Model	F-231
OE	35330-30011
Bolt Holes	19
Capacity	7.6 Qt. 7.2 Lt.
Fluid	Toyota Type T-IV®

Vehicle Application

- **Lexus** - 1992-00
- **Toyota** - 1986-02

A140E, A140L

FWD, 4 Spd.




Model	F-263
OE	35330-20H00
Bolt Holes	15
Capacity	5.9 Qt. 5.6 Lt.
Fluid	Toyota Type T-IV®

Vehicle Application

- **Toyota** - 1987-01

A341E

RWD, 4 Spd.




Model	F-269
OE	35330-50010
Bolt Holes	19
Capacity	8.7 Qt. 8.2 Lt.
Fluid	Toyota Type T-IV®

Vehicle Application

- **Lexus** - 1990-00
- **Toyota Supra** - 1993-98

A245E, A246E , A247E

FWD, 4 Spd., Early



Model	F-279
OE	35330-12030
Bolt Holes	18
Capacity	8.0 Qt. 7.6 Lt.
Fluid	Dexron® III

Vehicle Application

- **Toyota** - 1993-02

A442F, FJ80

RWD/4WD, 4 Spd.




Model	F-297
OE	35330-60011
Bolt Holes	20
Capacity	11.6 Qt. 11.0 Lt.
Fluid	Dexron® III

Vehicle Application

- **Landcruiser** - 1992-95

A541E

FWD, 4 Spd.



Model	F-298
OE	35330-33010
Bolt Holes	17
Capacity	7.4 Qt. 7.0 Lt.
Fluid	Dexron® III

Vehicle Application

- **Lexus, Toyota** - 1994-Up

A343F

4x4, 4 Spd., 3/4" Neck, 2 Outlets



Model	F-310
OE	35330-60020
Bolt Holes	19
Capacity	8.0 Qt. 7.6 Lt.
Fluid	Dexron® III

Vehicle Application

- **Landcruiser & T-100 Pick-Up** - 1995-Up

U340E

FWD, 4 Spd.



Model	F-324
OE	35330-0W020
Bolt Holes	19
Capacity	8.5 Qt. 8.0 Lt.
Fluid	Dexron® III

Vehicle Application

- **Scion** - 2004-Up
- **Toyota** - 2000-Up

U140E, U240E

FWD, 4 Spd.



Model	F-330
OE	35330-0W010
Bolt Holes	18
Capacity	8.5 Qt. 8.0 Lt.
Fluid	Toyota Type T-IV®

Vehicle Application

- **Toyota Models** - 2000-Up

A340F

4x4, 4 Spd., 3 Outlets



Model	F-331
OE	35330-60030
Bolt Holes	19
Capacity	12.1 Qt. 11.7 Lt.
Fluid	Dexron® III

Vehicle Application

- **Lexus LX 470** - 1998-02
- **Toyota Tundra, Sequoia & Landcruiser - V8 Light Duty Trucks, Vans** - 1998-Up

U150E / U151E / F

FWD, 5 Spd.



Model	F-344
OE	35330-08010
Bolt Holes	18
Capacity	8.5 Qt. 8.0 Lt.
Fluid	Dexron® III

Vehicle Application

- **Lexus ES300/ES330** - 2002-Up
- **Toyota Models** - 2003-Up

A340E / F, A341E / F

RWD, 4 Spd., 3 Outlets



Model	F-345
OE	35330-30020
Bolt Holes	19
Capacity	7.6 Qt. 7.2 Lt.
Fluid	Toyota Type T-IV®

Vehicle Application

- **Lexus GS 300 LS400, SC400** - 1993-03
- **SC300** - 1998-Up
- **Supra w/Turbo** - 1993-98
- **Tundra** - 2000-04

A350E

RWD, 4 Spd., 3 Outlets



Model	F-378
OE	35330-30040
Bolt Holes	19
Capacity	8.3 Qt. 7.9 Lt.
Fluid	Dexron® III

Vehicle Application

- **Lexus GS 300, GS 400** - 1996-03
- **LS 400** - 1998-02

A245E, A246E, A247E

FWD, 4 Spd., Late



Model	F-436
OE	35330-12040
Bolt Holes	18
Capacity	8.0 Qt. 7.6 Lt.
Fluid	Toyota Type T-IV®

Vehicle Application

- **Matrix** - 2003-05
- **Pontiac Vibe** - 2003-Up

A442F

RWD/4WD, 4 Spd.



Model	F-442
OE	35330-60040
Bolt Holes	20
Capacity	N/A
Fluid	Dexron® III

Vehicle Application

- **Toyota Landcruiser 100 Series** - 2003-Up

A750E / F

RWD/FWD, 5 Spd.



Model	F-477
OE	35330-60050
Bolt Holes	19
Capacity	9.4 Qt. 8.9 Lt.
Fluid	Toyota Type WS®

Vehicle Application

- **Lexus LX470** - 2003-Up

K312

FWD, CVT

NO PHOTO AVAILABLE

Model	F-566
OE	35330-0W110
Bolt Holes	16
Capacity	7.9 Qt. 7.5 Lt.
Fluid	Toyota CVT FE

Vehicle Application

- **Auris** - 2006-Up
- **Corolla** - 2012-Up

K313

FWD, CVT

NO PHOTO AVAILABLE

Model	F-477
OE	35330-12050A
Bolt Holes	16
Capacity	7.9 Qt. 7.5 Lt.
Fluid	Toyota CVT FE

Vehicle Application

- **Auris** - 2014-Up
- **Corolla** - 2013-Up



VOLKSWAGEN

010, 087, & 090**FWD, Offset Mounting Hole****Vehicle Application**

- **VW & Audi** - 1975-Up

Model	F-162
OE	010-325-421A
Bolt Holes	Molded Rubber Pan Gasket
Capacity	6.3 Qt. 6.0 Lt.
Fluid	Esso Type LT71141®

AG4 095, 096, 097**FWD, 4 Spd., Early****Vehicle Application**

- **VW Models** - 1990-95

Model	F-242
OE	095-325-429C
Bolt Holes	Molded Rubber Gasket
Capacity	5.9 Qt. 5.6 Lt.
Fluid	Esso Type LT71141®

AG4, 095, 096, 097

FWD, 4 Spd., Late



Model	F-284
OE	01M-325-429
Bolt Holes	4
Capacity	5.6 Qt. 5.3 Lt.
Fluid	Esso Type LT71141®

Vehicle Application

- **Audi, Cabriolet** - 1997-98
- **VW** - 1996-Up

09G

Deep Pan



Model	F-497
OE	09G-325-429A
Bolt Holes	Molded Rubber Gasket
Capacity	7.5 Qt. 7.0 Lt.
Fluid	G 052 025 (-A2)

Vehicle Application

- **Jetta / Beetle** - 2004-08
- **Passat** - 2006-08
- **Rabbit** - 2006

02E DQ250

FWD, 6 Spd., DSG

NO PHOTO AVAILABLE

Vehicle Application

- **Beetle** - 2004-17
- **CC** - 2009-17
- **Golf** - 2014-18
- **Jetta** - 2005-15
- **Passat** - 2009-18

Model	F-559
OE	02E305051C
Bolt Holes	Non-Serviceable
Capacity	7.6 Qt. 7.2 Lt.
Fluid	G 052 182 (A2)

09G

Shallow Pan

NO PHOTO AVAILABLE

Vehicle Application

- **Beetle** - 2003-05
- **Jetta** - 2005-07
- **Passat** - 2006

Model	F-627
OE	09G-325-429
Bolt Holes	Molded Rubber Pan Gasket
Capacity	7.5 Qt. 7.0 Lt.
Fluid	G 055 025 (A2)



ZF

ZF3HP22

RWD, 3 Spd.



Model	F-185
OE	24341-209-791
Bolt Holes	Molded Rubber Gasket
Capacity	5.4 Qt. 5.1 Lt.
Fluid	Dexron® III

Vehicle Application

- **Alfa Romeo** - 1977-83
- **BMW** - 1977-84
- **Peugeot** - 1980-83

ZF4HP22

RWD, 4 Spd.



Model	F-186
OE	24341215544
Bolt Holes	Molded Rubber Gasket
Capacity	7.5 Qt. 7.1 Lt.
Fluid	Dexron® III

Vehicle Application

- **BMW** - 1980-93
- **Peugeot** - 1984-91
- **Volvo** - 1985-90
- **Alfa Romeo** - 1987-94
- **Jaguar** - 1988-92

ZF4HP22/24

RWD, 4 Spd., 1" Tube

**Vehicle Application**

- Audi, BMW - 1991-Up

Model	F-244
OE	018-325-433E
Bolt Holes	Molded Rubber Gasket
Capacity	7.9 Qt. 7.5 Lt.
Fluid	Esso Type LT71141®

ZF4HP14/18

RWD, 4 Spd., with In-Line Engine

**Vehicle Application**

- Dodge Monaco, Eagle Premier - 1989-Up
- BMW - 1984-94

Model	F-260
OE	1036-226-013 83504685
Bolt Holes	Molded Rubber Gasket
Capacity	7.4 Qt. 7.0 Lt.
Fluid	Dexron® III

ZF4HP18/FLE

RWD, 4 Spd., Deep Pan



Model	F-276
OE	01F-325-433
Bolt Holes	Molded Rubber Gasket
Capacity	8.3 Qt. 7.9 Lt.
Fluid	Esso Type LT71141®

Vehicle Application

- **Audi, Porsche** - 1991-Up

ZF5HP18

RWD, 5 Spd.



Model	F-260
OE	1036-226-013 83504685
Bolt Holes	Molded Rubber Gasket
Capacity	8.3 Qt. 7.9 Lt.
Fluid	Esso Type LT71141®

Vehicle Application

- **BMW 530ia & 530it, E34.** 1993-96
320i - 1993-Up
- **520 & 525** - 1993-95
- **M3 & E36** - 1995-Up

ZF5HP19/FL

FWD/RWD, 5 Spd.

**Vehicle Application**

- **BMW 3/7 Series** - 1997-Up
- **Audi A4 & A8** - 1995-Up
- **Audi A6** - 1997-Up
- **Porsche Boxster** - 1996-97
- **VW Passat**- 1996-Up

Model	F-289
OE	01V-325-429
Bolt Holes	27
Capacity	8.3 Qt. 7.9 Lt.
Fluid	Esso Type LT71141®

ZF5HP24

RWD, 5 Spd.

**Vehicle Application**

- **BMW** - 1995-Up
- **Jaguar** - 1996-Up

Model	F-290A
OE	0501-004-925
Bolt Holes	22
Capacity	8.6 Qt. 8.1 Lt.
Fluid	Dexron® III



MISC.

MAGNETIC IN-LINE FILTER**5/16" Barbs**

Model	MIF-2
OE	N/A
Other	Filter Only

MAGNETIC IN-LINE FILTER**3/8" Barbs**

Model	MIF-3P
OE	N/A
Other	Filter Kit

MAGNETIC IN-LINE FILTER

1/2" Barbs



Model	MIF-4
OE	N/A
Other	Filter Only

MAGNETIC IN-LINE FILTER

1/2" Barbs



Model	MIF-4P
OE	N/A
Other	Filter Kit

Fluid Capacity Information

The Transmission Fluid Capacity information contained in this Guide is based on U.S. Quarts and Litres and should not be used for Imperial Quart (Metric Litre) capacities. In that case, the Imperial Quart (Metric Litre) requirement would need to be calculated using the following conversion factors:

- 1 U.S. Qt = 0.83267 Imperial Qt
- 1 U.S. Qt = 0.94635 Litres
- 1 Imperial Qt = 1.20095 U.S. Qt
- 1 Imperial Qt = 1.13650 Litres
- 1 Metric Litre = 1.05660 U.S. Qt
- 1 Metric Litre = 0.87980 Imperial Qt

Disclaimer of Liability

Filtran has compiled the information contained in this Guide from reliable sources and believes this information to be complete and accurate as of the time of printing. However, Filtran does not make any warranty, express or implied, as to the correctness, accuracy or completeness of this information. Filtran specifically disclaims any responsibility or liability for any errors, omissions, changes, and updates in this information and for any resulting harm, and shall not be liable for direct, incidental, or consequential damages resulting therefrom.

Caution

Whether it's called a fluid exchange, a flush or an evacuation, changing just the transmission fluid only does half the job.

Complete the job with a new transmission filter from Filtran.



ADDRESS

Filtran LLC

875 Seegers Road

Des Plaines, IL 60016

United States



CONTACT

Phone & Fax

Phone: + 1 847 635 6670

Fax: + 1 847 635 7724

Online

Email: filtran.AMSales@filtrationgroup.com

Website: www.filtranllc.com